



HRD DEVIATION FORM

Deviation Reporting Date : 07 November 2022

Deviation Type :

- Deviation from procedure
 Deviation from regulation
 Planned Deviation

Deviation Level :

- Low
 High
 Critical

Proposed by: FX Pernando Sagala

Investigator/Reported by : Harys Oskandar

Deviation Details:

Description of Deviation (explain the deviation issue)

Kandidat **Inspector Tubular** atas nama **Padliansyah** untuk **Project PHKT** tidak sesuai dengan *Basic Competency* yang sudah ditetapkan yaitu dari sisi **Training/Basic Competency**.

Berdasarkan Basic Competency, seorang Inspector Tubular harus memiliki antara lain :

a. Ds-1

b. ASNT MT/PT Lv. II

Sementara itu, **Padliansyah** hanya memiliki **ASNT MT/PT Lv. II**.

Impact Assessment (list of any impact of deviation on related field, location, result or system) :

Akibat yang ditimbulkan antara lain :

a. Akan ada finding audit

b. Inspektur kurang memahami rincian pekerjaan yang diberikan yang mengacu kepada Ds-1 standart

Approval





Approved to Implement

Rejected, Justification :

Approved to Implement with following actions :

Pat Padliansyah Perlu di training Ds1 tetapi perlu dicek kembali apakah pekerjaannya memenuhi sertifikasi tersebut.

Siganture

Proposed by, HOD	Prepared by, HR & Admin	Acknowledge by, HR & Finance Manager	Approved by, Director
			
Name : <u>FX Pernando S</u>	Name : <u>Harys Oskandar</u>	Name : <u>ari setiawan</u>	Name : <u>Esra MS</u>
Date: <u>07/11/22</u>	Date: <u>08/11/22</u>	Date: <u>08/11/22</u>	Date: <u>7/2/2023</u>

