





Management System
ISO 9001:2015
www.tuv.com
ID 9105042627



HEALTH SCREENING REPORT

Preemployment Physical Examination


CONFIDENTIAL

No. Medical Record : 
00008/008/I/ISP/22

259

PERSONAL DATA

Name : YONAS FEBRIAN
 Birthday/Gender/Emp. ID : 17 February 1998 / Male / ISP21267
 Father's Name : DHARMAWAN
 Address : JL TIBAN II BLOK B NO 9, BATAM
 Occupation : INSPECTOR
 Name of Employer / Recruitment Agency : INSPEKTINDO SINERGI PERSADA, PT
 Address of Employer / Recruitment Agency : KAWASAN INDUSTRI SEKUPANG KAVLING.13, BATAM



MEDICAL HISTORY

	Yes	No		Yes	No		Yes	No
1. Hypertension	<input type="checkbox"/>	<input checked="" type="checkbox"/>	4. Allergic Rhinitis	<input type="checkbox"/>	<input checked="" type="checkbox"/>	7. Surgery	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2. Bronchial Asthma	<input type="checkbox"/>	<input checked="" type="checkbox"/>	5. Peptic Ulcer	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8. Echolalia	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3. Bloody Cough	<input type="checkbox"/>	<input checked="" type="checkbox"/>	6. Epilepsy	<input type="checkbox"/>	<input checked="" type="checkbox"/>	9. Others	<input type="checkbox"/>	<input checked="" type="checkbox"/>

CLINICAL EXAMINATION

Weight : 74 Kg	Height : 180 Cm	3. Cardiovascular System	Yes/Abnormal	No/Normal
BMI : 22.84		a. Blood Pressure	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		Systolic / Diastolic : 111 / 67 mm Hg		
1. Vision	Yes/Abnormal	No/Normal		
a. Distant Vision	<input type="checkbox"/>	<input checked="" type="checkbox"/>	b. Heart Disease	<input type="checkbox"/>
(Should be at least 6/12 in both eyes with or without glasses)			c. Varicose Veins	<input type="checkbox"/>
b. Near Vision	<input type="checkbox"/>	<input checked="" type="checkbox"/>	4. Respiratory System	<input type="checkbox"/>
(Should be at least J2 in both eyes with or without glasses)			5. Skin-Chronic Disease	<input type="checkbox"/>
c. Colour Vision	<input type="checkbox"/>	<input checked="" type="checkbox"/>	6. Abdomen	<input type="checkbox"/>
d. Any Organic Eye Disease	<input type="checkbox"/>	<input checked="" type="checkbox"/>	7. Locomotor/Neurological	<input type="checkbox"/>
2. Hearing	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8. Endocrine disorders	<input type="checkbox"/>
(Unable to hear ordinary conversation at 2 m)			9. Mental State	<input type="checkbox"/>
				<input checked="" type="checkbox"/>

LABORATORY TEST

(Report Enclosed)

	Yes/Abnormal	No/Normal
1. Blood Count	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Urine Feme	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3. Other Laboratory Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>

OTHER TEST

(Report Enclosed)

	Yes/Abnormal	No/Normal
1. Audiometry	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2. Spirometry	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3. ECG (if indicated)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4. Chest X-Ray	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Remarks: Oxygen Saturation: 97%, Waist Circumference: 82 cm, Lab: Total Bilirubin E80.6 1.9 mg/dl MOE, Direct Bilirubin E80.6 0.5 mg/dl MIE, Indirect Bilirubin E80.6 1.4 mg/dl MIE, Total Cholesterol E78.0 219 mg/dl BHR, Blood Count: Monocytosis D72.821 10.1%, ECG: VES (Ocasional) I49.3, COVID-19 Antigen Rapid Test: Negative

CERTIFICATION

I certify that I have examined the abovenamed person. In my opinion, this person is **TEMPORARY UNFIT** for duties mentioned above.

ADVICE :

Consultation to Internist & Cardiologist, Low Fat Diet

Authentic Signature



Date of Exam : 31 January 2022



DR. REZGA AGNELA VALBETRI




Management System
ISO 9001:2015

www.tuv.com
ID 9105042627

KLINIK MEDILAB

PUSAT PEMERIKSAAN KESEHATAN TENAGA KERJA

Komplek Taman Niaga Sukajadi Blok J No. 3A-6 Jl. Ahmad Yani - Batam 29433
Telp: (0778) 7372022, 7372023, 0811 770 1188, 0811 770 1199. Fax: (0778) 7372024
E-mail: customercare@medilab-clinic.com, Website: www.medilab-clinic.com




HEALTH SCREENING REPORT

Preemployment Physical Examination


259

CONFIDENTIAL

No. Medical Record : 
00008/008/I/ISP/22

PERSONAL DATA

Name : YONAS FEBRIAN
 Birthday/Gender/Emp. ID : 17 February 1998 / Male / ISP21267
 Father's Name : DHARMAWAN
 Address : JL TIBAN II BLOK B NO 9, BATAM
 Occupation : INSPECTOR
 Name of Employer / Recruitment Agency : INSPEKTINDO SINERGI PERSADA, PT
 Address of Employer / Recruitment Agency : KAWASAN INDUSTRI SEKUPANG KAVLING.13, BATAM



YONAS FEBRIAN

LABORATORY REPORT

BLOOD COUNT

Test Name	Result	Unit	Reference Range		
HGB	13.5	gr/dl	M: 13.2 - 17.3	F: 11.7 - 15.5	
WBC	6.3	10 ³ /mm ³	M: 3.8 - 10.6	F: 3.6 - 11.0	
RBC	4.90	10 ⁶ /mm ³	M: 4.4 - 5.9	F: 3.8 - 5.2	
ESR	8	mm/hr	M: 0 - 10	F: 0 - 20	
HCT	40.5	%	M: 40 - 52	F: 35 - 47	
PLT	246	10 ³ /mm ³	150 - 440		
Differential Count					
- LYM	35.4	%	25 - 40		
- MON	* 10.1	%	2 - 8		
- GRA	54.5	%	43 - 76		
Indicator of Infection					
- Neutrofil Lymphocyte Ratio (NLR)	1.53	%	> 3.13 Cautious	6 - 9 Suspicious	> 9 Perilous
- Absolute Lymphocyte Count (ALC)	2230	%	< 1500 Cautious	< 1100 Suspicious	< 500 Perilous

URINE FEME

Macroscopy	Result	Microscopy	Result
- pH	6	- WBC/HPF	Nil/HPF
- Specific Gravity	1.015	- RBC/HPF	Nil/HPF
- Glucosasa	Negative	- Epithel Cell	Nil
- Protein	Negative	- Crystals	Nil
- Ketones	Negative	- Cast	Nil/HPF
- Bilirubin	Negative		
- Urobilinogen	Normal		
- Nitrit	Negative		
- Blood	Negative		
- Leucocytes	Negative		

X-RAY REPORT

Chest PA:

Show no Abnormalitis.

There is no evidence of pulmonary tuberculosis or other pulmonary,pleural or mediastinal lesions.

The size,shape and position of the heart are within limits of normal variations.

Bony structures of the thorax show no abnormalities.

Date of Exam : 31 January 2022



>> Computer Generated Report, No Signature Required. <<




Management System
ISO 9001:2015

www.tuv.com
ID 9105042627

M • KLINIK MEDILAB

PUSAT PEMERIKSAAN KESEHATAN TENAGA KERJA

Komplek Taman Niaga Sukajadi Blok J No. 3A-6 Jl. Ahmad Yani - Batam 29433
Telp: (0778) 7372022, 7372023, 0811 770 1188, 0811 770 1199. Fax: (0778) 7372024
E-mail: customercare@medilab-clinic.com, Website: www.medilab-clinic.com




HEALTH SCREENING REPORT

Preemployment Physical Examination


259

CONFIDENTIAL

No. Medical Record : 
00008/008/I/ISP/22

PERSONAL DATA

Name : YONAS FEBRIAN
 Birthday/Gender/Emp. ID : 17 February 1998 / Male / ISP21267
 Father's Name : DHARMAWAN
 Address : JL TIBAN II BLOK B NO 9, BATAM
 Occupation : INSPECTOR
 Name of Employer / Recruitment Agency : INSPEKTINDO SINERGI PERSADA, PT
 Address of Employer / Recruitment Agency : KAWASAN INDUSTRI SEKUPANG KAVLING.13, BATAM




AUDIOMETRY REPORT

Occupational History

	Yes	No
- Noisy Working Environment	<input type="checkbox"/>	<input checked="" type="checkbox"/>
- Present/use of Hearing Protector	<input checked="" type="checkbox"/>	<input type="checkbox"/>
- Period of Working	1.0 years	

Medical History/Examination

	Yes	No	If Yes, which ear	Left	Right
- Ear Surgery	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
- Head/Ear Injury	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
- Ears Infection	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
- Ear Drum Perforation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
- Ear Cerumen	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>



Conclusion :

- Audiogram : Normal
- Hearing Impairment : Monaural
 R : -5.63 %
 L : -3.75 %
 Hearing Handicap : -5.313 %
- Not a Noise Induced Hearing Loss

Date of Exam : 31 January 2022



>> Computer Generated Report, No Signature Required. <<




Management System
ISO 9001:2015
www.tuv.com
ID 9105042627

M • KLINIK MEDILAB

PUSAT PEMERIKSAAN KESEHATAN TENAGA KERJA

Komplek Taman Niaga Sukajadi Blok J No. 3A-6 Jl. Ahmad Yani - Batam 29433
Telp: (0778) 7372022, 7372023, 0811 770 1188, 0811 770 1199. Fax: (0778) 7372024
E-mail: customercare@medilab-clinic.com, Website: www.medilab-clinic.com




HEALTH SCREENING REPORT

Preemployment Physical Examination


259

CONFIDENTIAL

No. Medical Record : 
00008/008/I/ISP/22

PERSONAL DATA

Name : YONAS FEBRIAN
Birthday/Gender/Emp. ID : 17 February 1998 / Male / ISP21267
Father's Name : DHARMAWAN
Address : JL TIBAN II BLOK B NO 9, BATAM
Occupation : INSPECTOR
Name of Employer / Recruitment Agency : INSPEKTINDO SINERGI PERSADA, PT
Address of Employer / Recruitment Agency : KAWASAN INDUSTRI SEKUPANG KAVLING.13, BATAM



YONAS FEBRIAN

PULMONARY FUNCTION TEST

Occupation History

	Yes	No
- Dusty Working Environment	<input type="checkbox"/>	<input checked="" type="checkbox"/>
- Present/use of Protective Equipment	<input type="checkbox"/>	<input checked="" type="checkbox"/>
- Period of Working	0.0 years	

Medical History

	Yes	No	If Yes, when
- Lung Disease	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
- Breathlessness/Asthma	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
- Coughed Up Blood	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

BEST VALUES

	Pred.	MEASURED	%Pred
FVC	5.38	4.48	83
FEV1	4.53	4.18	92
FEV1/FVC	82.7	93.3	113
PEF	10.13	10.33	102
FEF2575	5.12	5.80	113

FVC Normal Value : 4.532
FEV1 Normal Value : 3.910
FEV1/FVC % Normal Value : 88 %
FVC % Predicted Value : 98 %
FEV1 % Predicted Value : 106 %
FEV1/FVC % Predicted Value : 105 %

Interpretation : Normal Spirometri

PARAMETER	Unit	1st #1	2nd #1	3rd #1	1st #2	1st #4
FVC	L	5.38	4.48	83	4.42	4.37
FEV1	L	4.53	4.18	92	4.14	4.01
FEV1/FVC	%	82.7	93.3	113	93.7	91.8

Date of Exam : 31 January 2022



>> Computer Generated Report, No Signature Required. <<

Predicted Value based on Indonesian Pneumobile Project, Reference spirometric values of healthy Indonesian schoolchildren and working adults using equipment and methods that meet American thoracic Society (ATS) 1987 recommendations, 1993




Management System
ISO 9001:2015

www.tuv.com
ID 9105042627

M • KLINIK MEDILAB

PUSAT PEMERIKSAAN KESEHATAN TENAGA KERJA

Komplek Taman Niaga Sukajadi Blok J No. 3A-6 Jl. Ahmad Yani - Batam 29433
Telp: (0778) 7372022, 7372023, 0811 770 1188, 0811 770 1199. Fax: (0778) 7372024
E-mail: customercare@medilab-clinic.com, Website: www.medilab-clinic.com



HEALTH SCREENING REPORT

Preemployment Physical Examination

CONFIDENTIAL

No. Medical Record :




00008/008/1/ISP/22

259

PERSONAL DATA

Name : YONAS FEBRIAN
 Birthday/Gender/Emp. ID : 17 February 1998 / Male / ISP21267
 Father's Name : DHARMAWAN
 Address : JL TIBAN II BLOK B NO 9, BATAM
 Occupation : INSPECTOR
 Name of Employer / Recruitment Agency : INSPEKTINDO SINERGI PERSADA, PT
 Address of Employer / Recruitment Agency : KAWASAN INDUSTRI SEKUPANG KAWLING.13, BATAM



YONAS FEBRIAN

LABORATORY REPORT

Test Name	Result	Unit	Reference Range
LIVER FUNCTION TEST			
Total Bilirubin	: *	1.9 mg/dl	0.3 - 1.1
Direct Bilirubin	: *	0.5 mg/dl	0.1 - 0.4
Indirect Bilirubin	: *	1.4 mg/dl	0.2 - 0.7
Alkaline Phosphatase	:	55 U/L	30 - 120
SGOT	:	13 U/L	M: <= 35 F: <= 31
SGPT	:	14 U/L	M: <= 45 F: <= 34
Gamma GT	:	13 U/L	M: <= 49 F: <= 32
LIPID PROFILE TEST			
Total Cholesterol	: *	219 mg/dl	<= 200
HDL - Cholesterol	:	72 mg/dl	M: > 35 F: > 45
LDL - Cholesterol	:	139 mg/dl	50 - 140
Triglycerida	:	39 mg/dl	<= 204
Ratio Cholesterol (Total Chol : HDL)	:	3.0	M: < 3.4 F: < 3.3
BLOOD SUGAR TEST			
Nuchter	:	76 mg/dl	< 100
RENAL FUNCTION TEST			
Ureum	:	22 mg/dl	17 - 43
BUN	:	10.3 mg/dl	8 - 22
SEROLOGI			
TPHA	:	Non Reactive	Non Reactive
HBsAg	:	Negative	Negative
Anti HBs	:	Negative	
Urine			
Cannabinoid/THC	:	Negative	Negative
Methamphetamine	:	Negative	Negative
Opiates/Morphine	:	Negative	Negative
Cocain	:	Negative	Negative
Amphetamine	:	Negative	Negative
Benzodiazepine	:	Negative	Negative
COVID-19 IgG/ IgM Rapid Test			
SARS-CoV-2 Antigen	:	Negative	Negative
OTHERS			

Date of Exam : 31 January 2022



>> Computer Generated Report, No Signature Required. <<




Management System
ISO 9001:2015

www.tuv.com
ID 9105042627

M • KLINIK MEDILAB

PUSAT PEMERIKSAAN KESEHATAN TENAGA KERJA


Komplek Taman Niaga Sukajadi Blok J No. 3A-6 Jl. Ahmad Yani - Batam 29433
Telp: (0778) 7372022, 7372023, 0811 770 1188, 0811 770 1199. Fax: (0778) 7372024
E-mail: customercare@medilab-clinic.com, Website: www.medilab-clinic.com



HEALTH SCREENING REPORT

Preemployment Physical Examination


CONFIDENTIAL

No. Medical Record : 
00008/008/I/ISP/22

259

PERSONAL DATA

Name : YONAS FEBRIAN
 Birthday/Gender/Emp. ID : 17 February 1998 / Male / ISP21267
 Father's Name : DHARMAWAN
 Address : JL TIBAN II BLOK B NO 9, BATAM
 Occupation : INSPECTOR
 Name of Employer / Recruitment Agency : INSPEKTINDO SINERGI PERSADA, PT
 Address of Employer / Recruitment Agency : KAWASAN INDUSTRI SEKUPANG KAVLING.13, BATAM



LABORATORY REPORT

Test Name	Result Unit	Reference Range
Breath Alcohol Test	0.000 %BAC	< 0.02 %BAC is negative >= 0.02-0.039 %BAC: cannot perform safety sensitive function >= 0.04 %BAC is a violation of rule

Date of Exam : 31 January 2022



>> Computer Generated Report, No Signature Required. <<




Management System
ISO 9001:2015
www.tuv.com
ID 9105042627



PUSAT PEMERIKSAAN KESEHATAN TENAGA KERJA


Komplek Taman Niaga Sukajadi Blok J No. 3A-6 Jl. Ahmad Yani - Batam 29433
Telp: (0778) 7372022, 7372023, 0811 770 1188, 0811 770 1199. Fax: (0778) 7372024
E-mail: customercare@medilab-clinic.com, Website: www.medilab-clinic.com



EYE EXAMINATION REPORT

IDENTIFICATION OF APPLICANT

Applicant's Name : YONAS FEBRIAN
DOB/Gender/Emp. ID: 17 February 1998 / Male / ISP21267
Address : JL TIBAN II BLOK B NO 9, BATAM
Company's Name : INSPEKTINDO SINERGI PERSADA, PT



YONAS FEBRIAN

Distant Vision Acuity (Snellen Chart)	Near Vision Acuity
Right Eye: 6/6 With Glasses Left Eye : 6/6 With Glasses	Right Eye : J1 Without Glasses Left Eye : J1 Without Glasses
Colour Vision (Ishihara's Test)	Normal
Visual Field Test (Confrontation Test)	-
Grey Test	-
Depth Test	-

DR. REZGA AGNELA VALBETRI

Examiner's Name

Examiner's Signature



BATAM, 31 January 22

Place, Date of eye examination

Official Stamp of Medical Practitioner




Management System
ISO 9001:2015
www.tuv.com
ID 1015042627





PUSAT PEMERIKSAAN KESEHATAN TENAGA KERJA

Komplek Taman Niaga Sukajadi Blok J No. 3A-6 Jl. Ahmad Yani - Batam 29433
Telp: (0778) 7372022, 7372023, 0811 770 1188, 0811 770 1199. Fax: (0778) 7372024
E-mail: customercare@medilab-clinic.com, Website: www.medilab-clinic.com



ELECTROCARDIOGRAM INTERPRETATION (RESTING)

Name : YONAS FEBRIAN
Age : 23 Years
Gender : Male
Place/Date : BATAM/31 January 2022
Company's Name : INSPEKTINDO SINERGI PERSADA, PT



CONCLUSION :
ADVICE :
EXAMINER : *MS (Occasional)*

Dr. Afdhalun Hakim, Sp.JP
Sp. Jantung & Pembuluh Darah
(Cardiologist)