




Management System
ISO 9001:2015

www.tuv.com
ID 9105042627



EYE EXAMINATION REPORT

IDENTIFICATION OF APPLICANT

Applicant's Name : PETRUS HARRY NATALDO NAINGGOLAN
DOB/Gender/Emp. ID: 25 December 1990 / Male /
Address : KAV SAGULUNG MANDIRI BLOK A NO 109, BATAM
Company's Name : INSPEKTINDO SINERGI PERSADA, PT



PETRUS HARRY

Distant Vision Acuity (Snellen Chart)

Right Eye: 6/6 Without Glasses
Left Eye : 6/6 Without Glasses

Near Vision Acuity

Right Eye: J1 Without Glasses
Left Eye : J1 Without Glasses

Colour Vision (Ishihara's Test)

Normal

Visual Field Test (Confrontation Test)

-

Grey Test

-

Depth Test

-

DR. ALKAUSTARIYAH LUBIS

Examiner's Name

[Handwritten Signature]

Examiner's Signature

BATAM, 05 May 22

Place, Date of eye examination



Official Stamp of Medical Practitioner




Management System
ISO 9001:2015
www.tuv.com
ID 9105042627

M • KLINIK MEDILAB

PUSAT PEMERIKSAAN KESEHATAN TENAGA KERJA

Komplek Taman Niaga Sukajadi Blok J No. 3A-6 Jl. Ahmad Yani - Batam 29433
Telp: (0778) 7372022, 7372023, 0811 770 1188, 0811 770 1199. Fax: (0778) 7372024
E-mail: customercare@medilab-clinic.com, Website: www.medilab-clinic.com




HEALTH SCREENING REPORT

Periodic Health Examination

268

CONFIDENTIAL

No. Medical Record : 
00017/001/V/ISP/22

PERSONAL DATA

Name : PETRUS HARRY NATALDO NAINGGOLAN
 Birthday/Gender/Emp. ID : 25 December 1990 / Male /
 Father's Name : JUNJUNGAN NAINGGOLAN
 Address : KAV SAGULUNG MANDIRI BLOK A NO 109, BATAM
 Occupation : NDT TECHNICIAN
 Name of Employer / Recruitment Agency : INSPEKTINDO SINERGI PERSADA, PT
 Address of Employer / Recruitment Agency : KAWASAN INDUSTRI SEKUPANG KAVLING.13, BATAM



PETRUS HARRY

LABORATORY REPORT

BLOOD COUNT

Test Name	Result	Unit	Reference Range	
HGB	16.5	gr/dl	M: 13.2 - 17.3	F: 11.7 - 15.5
WBC	5.4	10 ³ /mm ³	M: 3.8 - 10.6	F: 3.6 - 11.0
RBC	5.26	10 ⁶ /mm ³	M: 4.4 - 5.9	F: 3.8 - 5.2
ESR	3	mm/hr	M: 0 - 10	F: 0 - 20
HCT	48.0	%	M: 40 - 52	F: 35 - 47
PLT	244	10 ³ /mm ³	150 - 440	
MCV	91.3	µm ³	80 - 100	
MCH	31.3	pg	26 - 34	
MCHC	34.3	gr/dl	32 - 36	
Differential Count				
- LYM	30.7	%	25 - 40	
- MON	8.0	%	2 - 8	
- GRA	61.3	%	43 - 76	

URINE FEME

Macroscopy	Result	Microscopy	Result
- pH	5	- WBC/HPF	Nil/HPF
- Specific Gravity	1.010	- RBC/HPF	Occ/HPF
- Glucosaa	Negative	- Epithel Cell	Nil
- Protein	Negative	- Crystals	Nil
- Ketones	Negative	- Cast	Nil/HPF
- Bilirubin	Negative		
- Urobilinogen	Normal		
- Nitrit	Negative		
- Blood	Negative		
- Leucocytes	Negative		

X-RAY REPORT

Chest PA:
 Show no Abnormalitis.
 There is no evidence of pulmonary tuberculosis or other pulmonary,pleural or mediastinal lesions.
 The size,shape and position of the heart are within limits of normal variations.
 Bony structures of the thorax show no abnormalities.

Date of Exam : 5 May 2022



>> Computer Generated Report, No Signature Required. <<




Management System
ISO 9001:2015
www.tuv.com
ID 9105042627



PUSAT PEMERIKSAAN KESEHATAN TENAGA KERJA

Komplek Taman Niaga Sukajadi Blok J No. 3A-6 Jl. Ahmad Yani - Batam 29433
Telp: (0778) 7372022, 7372023, 0811 770 1188, 0811 770 1199. Fax: (0778) 7372024
E-mail: customercare@medilab-clinic.com, Website: www.medilab-clinic.com




HEALTH SCREENING REPORT

Periodic Health Examination

268

CONFIDENTIAL

No. Medical Record : 
00017/001/V/ISP/22

PERSONAL DATA

Name : PETRUS HARRY NATALDO NAINGGOLAN
 Birthday/Gender/Emp. ID : 25 December 1990 / Male /
 Father's Name : JUNJUNGAN NAINGGOLAN
 Address : KAV SAGULUNG MANDIRI BLOK A NO 109, BATAM
 Occupation : NDT TECHNICIAN
 Name of Employer / Recruitment Agency : INSPEKTINDO SINERGI PERSADA, PT
 Address of Employer / Recruitment Agency : KAWASAN INDUSTRI SEKUPANG KAVLING.13, BATAM



PETRUS HARRY


AUDIOMETRY REPORT

Occupational History

Yes No
 - Noisy Working Environment
 - Present/use of Hearing Protector
 - Period of Working 4.0 years

Medical History/Examination

	Yes	No	If Yes, which ear	Left	Right
- Ear Surgery	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
- Head/Ear Injury	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
- Ears Infection	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
- Ear Drum Perforation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
- Ear Cerumen	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>



Conclusion :

- Audiogram : Normal
- Hearing Impairment : Monaural : R : -13.13 %
L : -13.13 %
Hearing Handicap : -13.125 %
- Not a Noise Induced Hearing Loss

Date of Exam : 5 May 2022



>> Computer Generated Report, No Signature Required. <<




Management System
ISO 9001:2015
www.tuv.com
ID 9105042627

M • KLINIK MEDILAB

PUSAT PEMERIKSAAN KESEHATAN TENAGA KERJA

Komplek Taman Niaga Sukajadi Blok J No. 3A-6 Jl. Ahmad Yani - Batam 29433
Telp: (0778) 7372022, 7372023, 0811 770 1188, 0811 770 1199. Fax: (0778) 7372024
E-mail: customercare@medilab-clinic.com, Website: www.medilab-clinic.com




HEALTH SCREENING REPORT

Periodic Health Examination

268

CONFIDENTIAL

No. Medical Record : 
00017/001/V/ISP/22

PERSONAL DATA

Name : PETRUS HARRY NATALDO NAINGGOLAN
 Birthday/Gender/Emp. ID : 25 December 1990 / Male /
 Father's Name : JUNJUNGAN NAINGGOLAN
 Address : KAV SAGULUNG MANDIRI BLOK A NO 109, BATAM
 Occupation : NDT TECHNICIAN
 Name of Employer / Recruitment Agency : INSPEKTINDO SINERGI PERSADA, PT
 Address of Employer / Recruitment Agency : KAWASAN INDUSTRI SEKUPANG KAVLING.13, BATAM



PETRUS HARRY

PULMONARY FUNCTION TEST

Occupation History

	Yes	No
- Dusty Working Environment	<input type="checkbox"/>	<input checked="" type="checkbox"/>
- Present/use of Protective Equipment	<input checked="" type="checkbox"/>	<input type="checkbox"/>
- Period of Working	4.0 years	

Medical History

	Yes	No	If Yes, when
- Lung Disease	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
- Breathlessness/Asthma	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
- Coughed Up Blood	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

	BEST VALUES		
	Pred.	Measured	%Pred.
FVC	4.19	3.29	79
FEV1	3.58	2.94	82
FEV1/FVC	81.6	89.3	109
PEF	8.76	9.64	110
FEF25-75	4.51	3.90	86

FVC Normal Value : 3.526
 FEV1 Normal Value : 2.994
 FEV1/FVC % Normal Value : 85 %
 FVC % Predicted Value : 93 %
 FEV1 % Predicted Value : 98 %
 FEV1/FVC % Predicted Value : 104 %

PARAMETER	Pred.	PRE#1	%Pred.	PRE#2	PRE#3
*FVC	L 4.19	3.29	79	3.29	3.29
*FEV1	L 3.58	2.94	82	2.94	2.94
*PEF	L/s 8.76	9.64	110	9.64	9.64
FVC	L 4.19	3.29	79	3.28	3.28
FEV1	L 3.58	2.94	82	2.93	2.88
FEV1/FVC	% 81.6	89.4	110	89.3	87.5



Interpretation : Normal Spirometri

Date of Exam : 5 May 2022



>> Computer Generated Report, No Signature Required. <<

Predicted Value based on Indonesian Pneumobile Project, Reference spirometric values of healthy Indonesian schoolchildren and working adults using equipment and methods that meet American thoracic Society (ATS) 1987 recommendations, 1993




Management System
ISO 9001:2015

www.tuv.com
ID 9105042627

M • KLINIK MEDILAB

PUSAT PEMERIKSAAN KESEHATAN TENAGA KERJA

Komplek Taman Niaga Sukajadi Blok J No. 3A-6 Jl. Ahmad Yani - Batam 29433
Telp: (0778) 7372022, 7372023, 0811 770 1188, 0811 770 1199. Fax: (0778) 7372024
E-mail: customercare@medilab-clinic.com, Website: www.medilab-clinic.com




HEALTH SCREENING REPORT

Periodic Health Examination

268

CONFIDENTIAL

No. Medical Record : 
00017/001/V/ISP/22

PERSONAL DATA

Name : PETRUS HARRY NATALDO NAINGGOLAN
Birthday/Gender/Emp. ID : 25 December 1990 / Male /
Father's Name : JUNJUNGAN NAINGGOLAN
Address : KAV SAGULUNG MANDIRI BLOK A NO 109, BATAM
Occupation : NDT TECHNICIAN
Name of Employer / Recruitment Agency : INSPEKTINDO SINERGI PERSADA, PT
Address of Employer / Recruitment Agency : KAWASAN INDUSTRI SEKUPANG KAVLING.13, BATAM



PETRUS HARRY

LABORATORY REPORT

Test Name	Result Unit	Reference Range
-----------	-------------	-----------------

LIVER FUNCTION TEST

Total Bilirubin	: 0.5 mg/dl	0.3 - 1.1
Direct Bilirubin	: 0.2 mg/dl	0.1 - 0.4
Indirect Bilirubin	: 0.3 mg/dl	0.2 - 0.7
SGOT	: * 41 U/L	M: <= 35 F: <= 31
SGPT	: * 55 U/L	M: <= 45 F: <= 34
Gamma GT	: * 81 U/L	M: <= 49 F: <= 32

LIPID PROFILE TEST

Total Cholesterol	: * 210 mg/dl	<= 200
HDL - Cholesterol	: 57 mg/dl	M: > 35 F: > 45
LDL - Cholesterol	: 123 mg/dl	50 - 140
Triglycerida	: 151 mg/dl	<= 204
Ratio Cholesterol (Total Chol : HDL)	: * 3.7	M: < 3.4 F: < 3.3

BLOOD SUGAR TEST

Nuchter	: 93 mg/dl	< 100
---------	------------	-------

RENAL FUNCTION TEST

Ureum	: 18 mg/dl	17 - 43
BUN	: 8.4 mg/dl	8 - 22

SEROLOGI

TPHA	: Non Reactive	Non Reactive
HBsAg	: Negative	Negative
Anti HBs	: Negative	

Urine

Cannabinoid/THC	: Negative	Negative
Methamphetamine	: Negative	Negative
Opiates/Morphine	: Negative	Negative
Cocain	: Negative	Negative
Amphetamine	: Negative	Negative
Benzodiazepine	: Negative	Negative

COVID-19 IgG/ IgM Rapid Test

SARS-CoV-2 Antigen	: Negative	Negative
--------------------	------------	----------

OTHERS

Breath Alcohol Test	: 0,000 %BAC	< 0.02 %BAC is negative
---------------------	--------------	-------------------------

Date of Exam : 5 May 2022



>> Computer Generated Report, No Signature Required. <<




Management System
ISO 9001:2015
www.tuv.com
ID 9105042627



PUSAT PEMERIKSAAN KESEHATAN TENAGA KERJA


Komplek Taman Niaga Sukajadi Blok J No. 3A-6 Jl. Ahmad Yani - Batam 29433
Telp: (0778) 7372022, 7372023, 0811 770 1188, 0811 770 1199. Fax: (0778) 7372024
E-mail: customercare@medilab-clinic.com, Website: www.medilab-clinic.com



HEALTH SCREENING REPORT

Periodic Health Examination


CONFIDENTIAL

No. Medical Record : 
00017/001/V/ISP/22

268

PERSONAL DATA

Name : PETRUS HARRY NATALDO NAINGGOLAN
 Birthday/Gender/Emp. ID : 25 December 1990 / Male /
 Father's Name : JUNJUNGAN NAINGGOLAN
 Address : KAV SAGULUNG MANDIRI BLOK A NO 109, BATAM
 Occupation : NDT TECHNICIAN
 Name of Employer / Recruitment Agency : INSPEKTINDO SINERGI PERSADA, PT
 Address of Employer / Recruitment Agency : KAWASAN INDUSTRI SEKUPANG KAVLING.13, BATAM



PETRUS HARRY

LABORATORY REPORT

Test Name	Result Unit	Reference Range
		>= 0.02-0.039 %BAC: cannot perform safety sensitive function >= 0.04 %BAC is a violation of rule

Date of Exam : 5 May 2022



>> Computer Generated Report, No Signature Required. <<




Management System
ISO 9001:2015
www.tuv.com
ID 9105042627



ELECTROCARDIOGRAM INTERPRETATION (RESTING)

Name : PETRUS HARRY NATALDO NAINGGOLAN
Age : 31 Years
Gender : Male
Place/Date : BATAM/05 May 2022
Company's Name : INSPEKTINDO SINERGI PERSADA, PT



CONCLUSION : Sinus Bradycardia R00.1
ADVICE :
EXAMINER :



dr. REZGA AGNELA VALBETRI
Examining Physician