



No.	TIK No.	Equipment Type	Detail Description	SWL (Ton)	LOCATION	INSPECTION DATE	PERFORMER	Color Code	Finding & Recommendation	
15										
1	TIK-5-0357	Runway Beam	Runway Beam - Free Standing (length : 15000 mm)	5 Ton	FWP - NPU Process Area	16/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use		
2	TIK-5-0358	Runway Beam	Runway Beam - Free Standing (length : 1800 mm)	4.5 Ton	FWP - NPU Process Area	16/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use		
3	TIK-5-0356	Runway Beam	Runway Beam - Free Standing (length : 15000 mm)	5 Ton	FWP - NPU Process Area	16/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use		
4	TIK-5-0355	Runway Beam	Runway Beam - Free Standing (length : 15000 mm)	5 Ton	FWP - NPU Process Area	16/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use		
5	TIK-5-0354	Runway Beam	Runway Beam - Free Standing (length : 15000 mm)	5 Ton	FWP - NPU Process Area	16/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use		
6	TIK-5-0359	Runway Beam	Runway Beam - Free Standing (length : 1800 mm)	5 Ton	FWP - NPU Process Area	16/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use		
7	TIK-5-0353	Runway Beam	Runway Beam - Free Standing (length : 15000 mm)	5 Ton	FWP - NPU Process Area	16/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use		
8	TIK-5-0352	Runway Beam	Runway Beam - Free Standing (length : 15000 mm)	5 Ton	FWP - NPU Process Area	16/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use		
9	TIK-5-0360	Runway Beam	Runway Beam - Free Standing (length : 1800 mm)	4.5 Ton	FWP - NPU Process Area	16/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use		
10	TIK-5-0351	Runway Beam	Runway Beam - Free Standing (length : 6730 mm)	1 ton	FWP - NPU Process Area	16/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use		
11	TIK-5-0951	Pad Eye	Pad Eye	1 Ton	FWP - NPU Process Area	16/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use		
12	TIK-5-0950	Pad Eye	Pad Eye	1 Ton	FWP - NPU Process Area	16/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use		
13	TIK-5-0952	Pad Eye	Pad Eye	1 Ton	FWP - NPU Process Area	16/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use		
14	TIK-5-0953	Pad Eye	Pad Eye	1 Ton	FWP - NPU Process Area	16/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use		
15	TIK-5-0592	Slewing Jib Davit	Slewing Jib (Length Span : 2180 mm)	0.5 Ton	FWP - NPU Process Area	16/Jun/21	Pambudhi Kristyanto	Fit For Use		
Personnel In Attendance		Meal	Equipment	Qty	Prepared by PT. ISP Inspector			Approved by PHM sites INS SPV		
1 Pambudhi Kristyanto		1	Water bag 3 tonnes		 Pambudhi Kristyanto Name & Signature			Bambang YUDIONO  17 JUN 2021 Bambang Yudiono Name & Signature		
2 Agus Salim Asbar		1	Water bag 12 tonnes							
3			Load Cell 5 tonnes							
		2	Load Cell 30 tonnes							
Transport	1		Wire rope tester							
CRO No.										

No.	TIK No.	Equipment Type	Detail Description	SWL (Ton)	LOCATION	INSPECTION DATE	PERFORMER	Color Code	Finding & Recommendation
		15							
1	TIK-2330-2	Cargo Carrying Unit	Bottle Rack . Tare: 270 kg. MGM: 1770 kg. Dim: 1370 x 640 x 1940 mm (LxWxH). 2 Legs Wire rope Sling Dia.19mm x 800mm SWL 7,2ton (TIK-12320-0), shackle (TIK-1268-0, TIK-14874-0)	1500 kg	NPU Process Area - NPU	17/Jun/21	Pambudhi Kristyanto	Fit For Use	Need to Maintenance
2	TIK-5-0596	Runway Beam	Runway Beam - Suspended Section (length : 4830 mm)	1.5 Ton	NPU Process Area - NPU	17/Jun/21	Pambudhi Kristyanto	Fit For Use	
3	TIK-5-0595	Runway Beam	Runway Beam - Suspended Section (length : 4830 mm)	1.5 Ton	NPU Process Area - NPU	17/Jun/21	Pambudhi Kristyanto	Fit For Use	
4	TIK-5-0300	Runway Beam	Runway Beam - Free Standing (length : 2400 mm)	100 Kg	NPU Process Area - NPU	17/Jun/21	Pambudhi Kristyanto	Fit For Use	
5	TIK-5-0301	Runway Beam	Runway Beam - Free Standing (length : 2400 mm)	100 Kg	NPU Process Area - NPU	17/Jun/21	Pambudhi Kristyanto	Fit For Use	
6	TIK-2545-5	Pad Eye	Pad Eye	2 Ton	NPU Process Area - NPU	17/Jun/21	Pambudhi Kristyanto	Fit For Use	
7	TIK-173-5	Pad Eye	Pad Eye	2 Ton	NMP 1 - Process Area	17/Jun/21	Pambudhi Kristyanto	Fit For Use	
8	TIK-174-5	Pad Eye	Pad Eye	2 Ton	NMP 1 - Process Area	17/Jun/21	Pambudhi Kristyanto	Fit For Use	
9	TIK-175-5	Pad Eye	Pad Eye	2 Ton	NMP 1 - Process Area	17/Jun/21	Pambudhi Kristyanto	Fit For Use	
10	TIK-176-5	Pad Eye	Pad Eye	2 Ton	NMP 1 - Process Area	17/Jun/21	Pambudhi Kristyanto	Fit For Use	
11	TIK-5-0304	Slewing Jib Davit	Slewing Jib Length of Span : 2147 mm	2 Ton	NPU Process Area - NPU	17/Jun/21	Pambudhi Kristyanto	Fit For Use	
12	TIK-5-0306	Slewing Jib Davit	Slewing Jib Length of Span : 1650 mm	1 Ton	NPU Process Area - NPU	17/Jun/21	Pambudhi Kristyanto	Fit For Use	
13	TIK-5-0389	Hydraulic Ram & Jack	Hand Pallet Truck Model : Gerloc	250 Kg	NPU Process Area - NPU	17/Jun/21	Pambudhi Kristyanto	Fit For Use	
14	PC-01	Plate Handling Clamp	Pipe Clamp	-	Mechanic Workshop	17/Jun/21	Pambudhi Kristyanto	Fit For Use	MPI Only (result of MPI : Acceptable)
15	PC-02	Plate Handling Clamp	Pipe Clamp	-	Mechanic Workshop	17/Jun/21	Pambudhi Kristyanto	Fit For Use	MPI Only (result of MPI : Acceptable)

Personnel In Attendance		Meal	Equipment	Qty	Prepared by PT. ISP Inspector	Approved by PHM sites INS SPV
1	Pambudhi Kristyanto		Water bag 3 tonnes		 Pambudhi Kristyanto Name & Signature	Date : 17 June 2021 Bambang YUDIONO 18 JUN 2021  Bambang Yudiono Name & Signature
2	Agus Salim Asbar		Water bag 12 tonnes			
3			Load Cell 5 tonnes			
TOTAL			Load Cell 30 tonnes			
Transport			Wire rope tester			


No.	TIK No.	Equipment Type	Detail Description	SWL (Ton)	LOCATION	INSPECTION DATE	PERFORMER	Color Code	Finding & Recommendation
1	TIK-2538-5	Pad Eye	Pad Eye	1.5 Ton	NPU - Process Area	18/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
2	TIK-2539-5	Pad Eye	Pad Eye	1.5 Ton	NPU - Process Area	18/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
3	TIK-2540-5	Pad Eye	Pad Eye	1.5 Ton	NPU - Process Area	18/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
4	TIK-5-0314	Runway Beam	Runway Beam - Free Standing (length : 6500 mm)	5 Ton	NMP 1 - Process Area	18/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
5	TIK-5-0316	Runway Beam	Runway Beam - Free Standing (length : 6500 mm)	5 Ton	NMP 1 - Process Area	18/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
6	TIK-5-0457	Beam Trolley	Beam Trolley	5 Ton	NMP 1 - Process Area	18/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
7	TIK-5-0310	Runway Beam	Runway Beam - Free Standing (length : 6500 mm)	5 Ton	NMP 1 - Process Area	18/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
8	TIK-5-0311	Runway Beam	Runway Beam - Free Standing (length : 6500 mm)	5 Ton	NMP 1 - Process Area	18/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
9	TIK-5-0456	Beam Trolley	Beam Trolley	5 Ton	NMP 1 - Process Area	18/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
10	TIK-5-0309	Runway Beam	Runway Beam - Free Standing (length : 6500 mm)	5 Ton	NMP 1 - Process Area	18/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
11	TIK-5-0307	Runway Beam	Runway Beam - Free Standing (length : 6500 mm)	5 Ton	NMP 1 - Process Area	18/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
12	TIK-5-0319	Runway Beam	Runway Beam - Free Standing (length : 5730 mm)	5 Ton	NMP 1 - Process Area	18/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
13	TIK-5-0320	Beam Trolley	Beam Trolley	300 Kg	NMP 1 - Process Area	18/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
14	TIK-5-0209	Beam Trolley	Beam Trolley /g : Ingersoll Rand , S/N : T0050202	4400 Lbs	NMP 1 - Process Area	18/Jun/21	Pambudhi Kristyanto	Fit For Use	
15	TIK-5-0321	Runway Beam	Runway Beam - Free Standing (length : 21 M)	5 Ton	NMP 1 - Process Area	18/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
16	P1 AC 038	Pad Eye	Pad Eye Air Compressor MEI FR AC 038		NPU - NCP 1	18/Jun/21	Pambudhi Kristyanto	Fit For Use	MPI Only
17	P2 AC 038	Pad Eye	Pad Eye Air Compressor MEI FR AC 038		NPU - NCP 1	18/Jun/21	Pambudhi Kristyanto	Fit For Use	MPI Only
18	P3 AC 038	Pad Eye	Pad Eye Air Compressor MEI FR AC 038		NPU - NCP 1	18/Jun/21	Pambudhi Kristyanto	Fit For Use	MPI Only
19	P4 AC 038	Pad Eye	Pad Eye Air Compressor MEI FR AC 038		NPU - NCP 1	18/Jun/21	Pambudhi Kristyanto	Fit For Use	MPI Only
20	P1 AC 049	Pad Eye	Pad Eye Air Compressor MEI FR AC 049		NPU - NCP 1	18/Jun/21	Pambudhi Kristyanto	Fit For Use	MPI Only
21	P2 AC 049	Pad Eye	Pad Eye Air Compressor MEI FR AC 049		NPU - NCP 1	18/Jun/21	Pambudhi Kristyanto	Fit For Use	MPI Only
22	P3 AC049	Pad Eye	Pad Eye Air Compressor MEI FR AC 049		NPU - NCP 1	18/Jun/21	Pambudhi Kristyanto	Fit For Use	MPI Only
23	P4 AC 049	Pad Eye	Pad Eye Air Compressor MEI FR AC 049		NPU - NCP 1	18/Jun/21	Pambudhi Kristyanto	Fit For Use	MPI Only
24									
25									
26									
27									
28									
29									
30									
31									
32									
33									
34									
35									
36									
37									
38									
39									
40									

Personnel In Attendance		Meal	Equipment	Qty	Prepared by PT. ISP Inspector	Approved by PHM sites INS SPV
1	Pambudhi Kristyanto		Water bag 3 tonnes		 Date : 18 June 2021	Date : 18 June 2021 Bambang YUDIONO 19 JUN 2021
2	Agus Salim Asbar		Water bag 12 tonnes			
3			Load Cell 5 tonnes			
TOTAL			Load Cell 30 tonnes			
Transport			Wire rope tester		Pambudhi Kristyanto Name & Signature	Bambang Yudiono Name & Signature
CRO No.						



**SUMMARY LIFTING EQUIPMENTS INSPECTION CAMPAIGN 2ND SEMESTER 2021
SITES : NORTH PROCESING UNIT (NPU)**



No.	TKR No.	Equipment Type	Detail Description	Wt. (Ton)	LOCATION	INSPECTION DATE	PERFORMER	Calor Code	Finding & Recommendation
1	TIK-5-0220	Slewing Jib Davit	Slewing Jib Length of Span : 1780 mm	2 Ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Fit For Use	
2	TIK-5-0222	Slewing Jib Davit	Slewing Jib Length of Span : 1780 mm	2 Ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Fit For Use	
3	TIK-5-0226	Runway Beam	Runway Beam - Free Standing (length : 10000 mm)	500 Kg	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
4	TIK-5-0224	Runway Beam	Runway Beam - Free Standing (length : 10000 mm)	500 Kg	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
5	TIK-5-0215	Runway Beam	Runway Beam - Free Standing (length : 3000 mm)	2 Ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
6	TIK-5-0127	Runway Beam	Runway Beam - Free Standing (length : 4270 mm)	2 Ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
7	TIK-5-0051	Beam Trolley	Beam Trolley	1 Ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Fit For Use	Hand Chain need to Maintenance
8	TIK-5-0228	Runway Beam	Runway Beam - Free Standing (length : 10000 mm)	2 Ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	infrequent use/ not fit for use	Bolt Pin (End Stop) Stopper Missing or not installed
9	TIK-5-1061	Runway Beam	Runway Beam - Free Standing (length : 4360 mm)	5 Ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
10	TIK-5-0937	Runway Beam	Runway Beam - Free Standing (length : 5000 mm)	1 Ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
11	TIK-5-0939	Runway Beam	Runway Beam - Suspended Section (length : 8840 mm)	1 Ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
12	TIK-5-0211	Slewing Jib Davit	Slewing Jib Length of Span : 2370 mm	1 Ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Fit For Use	
13	TIK-5-0212	Runway Beam	Runway Beam - Free Standing (length : 2400 mm)	1 Ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
14	TIK-5-0205	Runway Beam	Runway Beam - Suspended Section (length : 2400 mm)	1 Ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
15	TIK-5-0252	Runway Beam	Runway Beam - Free Standing (length : 3250 mm)	1 Ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
16	TIK-5-0099	Beam Trolley	Beam Trolley	1 Ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	No Hand Chain
17	TIK-5-0272	Other Below The Hook Lifting Devices	Trolley Wheel	7.5 Ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Fit For Use	
18	TIK-5-0243	Runway Beam	Runway Beam - Free Standing (length : 4620 mm)	2 Ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
19	TIK-5-0246	Runway Beam	Runway Beam - Free Standing (length : 3360 mm)	2 Ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	Rusty surface, Need to Clean and Repaint On Surfaces
20	TIK-5-0867	Chain Block	Chain Block. Manufacture: Cyclone. S/N: S 4100 UR.	3 ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Fit For Use	
21	TIK-5-0676	Beam Trolley	Beam Trolley. Manufacture: Yale. Model: HT 62A. S/N: 99462	2 Ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Not Fit For Use	the hand chain sometimes doesn't sit well on the sprocket, making it difficult to operate.
22	TIK-5-0247	Runway Beam	Runway Beam - Free Standing (length : 4620 mm)	2 Ton	NPU - NCP 1	19/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	Rusty, Need to Clean and Repaint On Surfaces
Personnel In Attendance			Meal	Equipment	Qty	Prepared by PT. ISP Inspector		Approved by PHM sites INS SPV	
1	Pambudhi Kristyanto			Water bag	3 tonnes	Date : 19 June 2021		Date : 19 June 2021	
2	Agus Salim Asbar			Water bag	12 tonnes	 Pambudhi Kristyanto Name & Signature		 Bambang Yudiono 20 JUN 2021 Bambang Yudiono Name & Signature	
3			Load Cell	5 tonnes					
TOTAL			Load Cell	30 tonnes					
Transport				Wire rope tester					
CRO No.									

No.	TIK No.	Equipment Type	Detail Description	SWL (Ton)	LOCATION	INSPECTION DATE	PERFORMER	Color Code	Finding & Recommendation
		20							
1	TIK-5-0248	Slewing Jib Davit	Slewing Jib Length of Span : 3700 mm	0.6 Ton	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Fit For Use	Need to maintenace on foundation weld area and Bracing Support
2	TIK-5-0249	Slewing Jib Davit	Slewing Jib Length of Span : 3700 mm	0.6 Ton	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Fit For Use	Need to maintenace on foundation weld area
3	TIK-5-0496	Beam Trolley	Beam Trolley,Mfg :Yale	2 Ton	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Fit For Use	
4	TIK-5-4099	Chain Block	Chain Block. Manufacture Cyclone. S/N: SA 540 KF	3 Ton	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Fit For Use	
5	TIK-2843-5	Shackle	Bow Sackle Bolt Type. Mfg : PWB. Size : 7/8 inch.	6.5 Ton	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Fit For Use	
6	TIK-5-0901	Runway Beam	Runway Beam - Free Standing (Length : 5800 mm)	0.5	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
7	TIK-5-0902	Runway Beam	Runway Beam - Free Standing (Length : 5800 mm)	0.5	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	Find Rusty on running Surface, need to re-maintenance and re-paint
8	TIK-5-0763	Beam Trolley	Beam Trolley,Mfg :Yale, Model: HT(G) 3-A 200. S/N : 99465	2 Ton	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Not Fit For Use	Heavy Corrosion on Hard Chain and Hand chain not seat properly on chain sprocket
9	TIK-5-0200	Gantry	Mobile Gantry (Length of Span : 1970 mm)	1 Ton	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Fit For Use	Need to maintenance on running surface
10	TIK-5-0324	Runway Beam	Runway Beam - Free Standing (Length : 5000 mm)	0.5 ton	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
11	TIK-0146-5	Pad Eye	Pad eye	5 Ton	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
12	TIK-5-0235	Runway Beam	Runway Beam - Free Standing (Length : 10570 mm)	20 Ton	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
13	TIK- 5-0366	Runway Beam	Runway Beam - Free Standing (Length : 2340 mm)	20 Ton	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
14	TIK-0145-5	Pad Eye	Pad eye	5 Ton	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
15	TIK-5-0232	Runway Beam	Runway Beam - Free Standing (Length : 10000 mm)	6 Ton	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
16	TIK-5-0233	Beam Trolley	Beam Trolley	6 Ton	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
17	TIK-5-0273	Chain Block	Chain Block. Manufacture Inggersol Rand. S/N: V050702A. Model: VL2-100	10 Ton	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
18	TIK-5-0369	Runway Beam	Runway Beam - Free Standing (Length : 2340 mm)	20 Ton	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	Need to maintenance on running surface
19	TIK-5-0370	Beam Trolley	Beam Trolley	20 Ton	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	Hand Chain need maintenace
20	TIK-0148-5	Pad Eye	Pad eye	5 Ton	NPU - NCP 1	20/Jun/21	Pambudhi Kristyanto	Infrequent Use/ fit for use	
21									
Personnel In Attendance			Meal	Equipment	Qty	Prepared by PT. ISP Inspector		Approved by PHM sites INS SPV	
1	Pambudhi Kristyanto			Water bag 3 tonnes		Date : 20 June 2021		Date : 20 June 2021	
2	Agus Salim Asbar			Water bag 12 tonnes					
3				Load Cell 5 tonnes					
TOTAL				Load Cell 30 tonnes					
Transport				Wire rope tester		Pambudhi Kristyanto		Bambang Yudiono	
CRO No.						Name & Signature		Name & Signature	