

**PT. INSPEKTINDO SINERGI PERSADA**  
**SERVICES TIME SHEET**



Personnel In Attendance: **Wahyudhi**  
**Usman Kholid**

Customer: **PERTAMINA HULU**  
**MAHAKAM**

Service Date: **25-Jan-2022**

Periode: **Des - Jan**

CRO No.:

Rig/Well: **SMK**

No.	Service Description	Rig/Loc	Date of Inspection & Qty						TOTAL	
			19-Jan	20-Jan	21-Jan	22-Jan	23-Jan	24-Jan		25-Jan
1	Crane include Pedestal Crane, Mobile Land Crane, Overhead crane						1		1	
2	Pad Eye				30			18	48	
3	Slewing Jib / Davit				1				1	
4	Transportation Containers							1	1	
5										
<b>Equipment Rental</b>										
1	Water bag 3 tonnes	unit-day	-	-	-	-	-	-	-	
2	Water bag 12 tonnes	unit-day	-	-	-	-	1	-	-	1
3	Load Cell 5 tonnes	unit-day	-	-	-	-	-	-	-	
4	Load Cell 30 tonnes	unit-day	-	-	-	-	1	-	-	1
5	Wire rope tester	unit-day	-	-	-	-	1	-	-	1
<b>PROVISION</b>										
7	Land Transportation	unit-day	-	-	-	-	-	-	-	
8	Daily Personnel allowance	man-day	-	-	2	-	2	2	-	6

**Wahyudhi**  
Personnel In Attendance

**IWAN S / ABU KHOIRI**  
Approved by PHM sites INS SPV

**PT. INSPEKTINDO SINERGI PERSADA**  
**SERVICES TIME SHEET**



Personnel In Attendance: **Wahyudhi**  
**Usman Kholid**

Customer: **PERTAMINA HULU**  
**MAHAKAM**


Service Date: **25-Jan-2022**


Periode : **Des - Jan**

CRO No.:

Rig/Well : **PECIKO**

No.	Service Description	Rig/Loc	Date of Inspection & Qty							TOTAL
			19-Jan	20-Jan	21-Jan	22-Jan	23-Jan	24-Jan	25-Jan	
1	Crane include Pedestal Crane, Mobile Land Crane, Overhead crane			1						1
2	Shackle			3						3
3	Transportation Containers			1						1
4	Wire Rope Sling 3-leg or 4-legs			1						1
5										
6										
<b>Equipment Rental</b>										
1	Water bag 3 tonnes	unit-day	-	-	-	-	-	-	-	-
2	Water bag 12 tonnes	unit-day	-	1	-	-	-	-	-	1
3	Load Cell 5 tonnes	unit-day	-	-	-	-	-	-	-	-
4	Load Cell 30 tonnes	unit-day	-	1	-	-	-	-	-	1
5	Wire rope tester	unit-day	-	1	-	-	-	-	-	1
<b>PROVISION</b>										
7	Land Transportation	unit-day	-	-	-	-	-	-	-	-
8	Daily Personnel allowance	man-day	-	2	-	-	-	-	-	2

  
**Wahyudhi**  
Personnel In Attendance

  
**IWAN S / ABU KHOIRI**  
Approved by PHM sites INS SPV

**PT. INSPEKTINDO SINERGI PERSADA**  
**SERVICES TIME SHEET**



Personnel In Attendance: **Wahyudhi**  
**Usman Kholid**

Customer: **PERTAMINA HULU**  
**MAHAKAM**


Service Date: **1-Feb-2022**


Periode: **Des - Jan**

CRO No.:

Rig/Well: **PECIKO**

No.	Service Description	Rig/Loc	Date of Inspection & Qty							TOTAL
			26-Jan	27-Jan	28-Jan	29-Jan	30-Jan	31-Jan	1-Feb	
1	Crane include Pedestal Crane, Mobile Land Crane, Overhead crane						IP	1		1
2	Pad Eye			26			18	15		59
3	Rope Hoist / Winch			2						2
4	Shackle		2							2
5	Slewing Jib / Davit		1							1
6	Transportation Containers		5							5
7	Wire Rope Sling 1-leg or 2-legs		1			1				2
8	Wire Rope Sling 3-leg or 4-legs		1							1
9										
10										
11										
12										
13										
14										
15										
<b>Equipment Rental</b>										
1	Water bag 3 tonnes	unit-day	-	-	-	-	-	-	-	-
2	Water bag 12 tonnes	unit-day	-	-	-	-	1	-	-	1
3	Load Cell 5 tonnes	unit-day	-	-	-	-	-	-	-	-
4	Load Cell 30 tonnes	unit-day	-	-	-	-	1	-	-	1
5	Wire rope tester	unit-day	-	-	-	-	-	1	-	1
<b>PROVISION</b>										
7	Land Transportation	unit-day	-	-	-	-	-	-	-	-
8	Daily Personnel allowance	man-day	2	2	-	2	2	2	-	10

  
**Wahyudhi**  
Personnel In Attendance

  
**IWAN S / ABU KHOIRI**  
Approved by PHM sites INS SPV

**PT. INSPEKTINDO SINERGI PERSADA**  
**SERVICES TIME SHEET**



Personnel In Attendance: **Wahyudhi**  
**Usman Kholid**

Customer: **PERTAMINA HULU**  
**MAHAKAM**


Service Date: **8-Feb-2022**

Periode : **Des - Jan**

CRO No.:

Rig/Well : **SMK**

No.	Service Description	Rig/Loc	Date of Inspection & Qty						TOTAL	
			2-Feb	3-Feb	4-Feb	5-Feb	6-Feb	7-Feb		8-Feb
1	Crane include Pedestal Crane, Mobile Land Crane, Overhead crane				IP					
2	Pad Eye					6				6
3										
<b>Equipment Rental</b>										
1	Water bag 3 tonnes	unit-day	-	-	-	-	-	-	-	-
2	Water bag 12 tonnes	unit-day	-	-	1	-	-	-	-	1
3	Load Cell 5 tonnes	unit-day	-	-	-	-	-	-	-	-
4	Load Cell 30 tonnes	unit-day	-	-	1	-	-	-	-	1
5	Wire rope tester	unit-day	-	-	-	-	-	-	-	-
<b>PROVISION</b>										
7	Land Transportation	unit-day	-	-	-	-	-	-	-	-
8	Daily Personnel allowance	man-day	-	-	2	2	-	-	-	4



**Wahyudhi**  
Personnel In Attendance



**IWAN S / ABU KHOIRI**  
Approved by PHM sites INS SPV

**PT. INSPEKTINDO SINERGI PERSADA**  
**SERVICES TIME SHEET**



Personnel In Attendance: **Wahyudhi**  
**Usman Kholid**

Customer: **PERTAMINA HULU**  
**MAHAKAM**

Service Date: **15-Feb-2022**

Periode : **Des - Jan**



CRO No.:


Rig/Well : **PECIKO**



No.	Service Description	Rig/Loc	Date of Inspection & Qty							TOTAL
			9-Feb	10-Feb	11-Feb	12-Feb	13-Feb	14-Feb	15-Feb	
1	Pulley / Snatch Block							2		2
2	Spreader Bar							1		1
3	Shackle							5	2	6
4	Turnbuckle									2
5	Pad Eye			46				4	11	6
6										
7										
8										
9										
10										
11										
12										
13										
14										
15										
<b>Equipment Rental</b>										
1	Water bag 3 tonnes	unit-day	-	-	-	-	-	-	-	-
2	Water bag 12 tonnes	unit-day	-	-	-	-	-	-	-	-
3	Load Cell 5 tonnes	unit-day	-	-	-	-	-	-	-	-
4	Load Cell 30 tonnes	unit-day	-	-	-	-	-	-	-	-
5	Wire rope tester	unit-day	-	-	-	-	-	-	-	-
<b>PROVISION</b>										
7	Land Transportation	unit-day	-	-	-	-	-	-	-	-
8	Daily Personnel allowance	man-day	-	2	-	-	-	2	1	1

**Wahyudhi**  
Personnel In Attendance


**IWAN S / ABU KHOIRI**  
Approved by PHM sites INS SPV

No.	TIK No.	Equipment Type	Detail Description	SWL (Ton)	LOCATION	INSPECTION DATE	PERFORMER	Color Code	Finding & Recommendation
		17							
1	TIK-2562-2	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	MWP-A	17-Feb-2022	Wahyudhi	Fit For Use	
2	TIK-2563-2	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	MWP-A	17-Feb-2022	Wahyudhi	Fit For Use	
3	TIK-2564-2	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	MWP-A	17-Feb-2022	Wahyudhi	Fit For Use	
4	TIK-2565-2	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	MWP-A	17-Feb-2022	Wahyudhi	Fit For Use	
5	TIK-2887-2	Pad Eye	Pad Eye Flare Boom	10 Ton	MWP-A	17-Feb-2022	Wahyudhi	Fit For Use	
6	TIK-2888-2	Pad Eye	Pad Eye Flare Boom	10 Ton	MWP-A	17-Feb-2022	Wahyudhi	Fit For Use	
7	TIK-10803-2	Shackle	Bow Shackle Bolt Type	17 Ton	MWP-A	17-Feb-2022	Wahyudhi	Fit For Use	
8	TIK-1098-2	Shackle	Bow Shackle Bolt Type	17 Ton	MWP-A	17-Feb-2022	Wahyudhi	Not Fit For Use	Excessive Corrosion on Nut & Pin, Shall be Remove From Service
9	TIK-8719-2	Shackle	Bow Shackle Screw Pin Type	25 Ton	MWP-A	17-Feb-2022	Wahyudhi	Fit For Use	
10	TIK-8718-2	Shackle	Bow Shackle Screw Pin Type	25 Ton	MWP-A	17-Feb-2022	Wahyudhi	Fit For Use	
11	TIK-11929-2	Shackle	Bow Shackle Screw Pin Type	3.25 Ton	MWP-A	17-Feb-2022	Wahyudhi	Fit For Use	
12	TIK-3056-2	Shackle	Bow Shackle Screw Pin Type	3.25 Ton	MWP-A	17-Feb-2022	Wahyudhi	Fit For Use	
13	TIK-11930-2	Shackle	Bow Shackle Bolt Type	2 Ton	MWP-A	17-Feb-2022	Wahyudhi	Fit For Use	
14	TIK-11931-2	Shackle	Bow Shackle Bolt Type	2 Ton	MWP-A	17-Feb-2022	Wahyudhi	Fit For Use	
15	TIK-10800-2	Shackle	Bow Shackle Bolt Type	12 Ton	MWP-A	17-Feb-2022	Wahyudhi	Fit For Use	
16	TIK-8765-2	Pulley / Snatch Block	Snatch Block (Boom Burner)	-	MWP-A	17-Feb-2022	Wahyudhi	Not Fit For Use	Excessive Corrosion Side Plate, Swivel, Pin, Shall be Remove From Service
17	TIK-8766-2	Pulley / Snatch Block	Snatch Block (Boom Burner)	-	MWP-A	17-Feb-2022	Wahyudhi	Not Fit For Use	Excessive Corrosion Side Plate, Swivel, Pin, Shall be Remove From Service
<b>Personnel In Attendance</b>			<b>Daily Personnel allowance</b>	<b>Equipment</b>	<b>Qty</b>	<b>Prepared by PT. ISP Inspector</b>		<b>Approved by PHM sites INS SPV</b>	
<b>1</b>	<b>Wahyudhi</b>		<b>1</b>	<b>Water bag 3 tonnes</b>		<b>Date : 17 February 2022</b>		<b>Date :</b>	
<b>2</b>				<b>Water bag 12 tonnes</b>					
<b>3</b>			<b>Load Cell 5 tonnes</b>						
<b>TOTAL</b>			<b>1</b>	<b>Load Cell 30 tonnes</b>					
<b>Transport</b>				<b>Wire rope tester</b>		<b>Wahyudhi</b>		<b>IWAN S / ABU KHOIRI</b>	
<b>CRO No.</b>						<b>Name &amp; Signature</b>		<b>Name &amp; Signature</b>	

No.	TIK No.	Equipment Type	Detail Description	SWL (Ton)	LOCATION	INSPECTION DATE	PERFORMER	Color Code	Finding & Recommendation
		20							
1	TIK-11260-2	Pad Eye	Pad Eye Flare Boom	4 Ton	SWP-G - Flare Boom	18-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
2	TIK-2767-2	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-G - Jumping Rope	18-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
3	TIK-2768-2	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-G - Jumping Rope	18-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
4	TIK-2758-2	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-G - Jumping Rope	18-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
5	TIK-2759-2	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-G - Jumping Rope	18-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
6	TIK-11258-2	Shackle	Bow Shackle Screw Pin Type	8.5 Ton	SWP-G - Flare Boom	18-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
7	TIK-11259-2	Shackle	Bow Shackle Screw Pin Type	17 Ton	SWP-G - Flare Boom	18-Feb-2022	Wahyudhi	Not Fit For Use	Excessive Corrosion & Reduction Dimension Bow Diameter, Shall be Remove From Service
8	TIK-11932-2	Pulley / Snatch Block	Snatch Block	-	SWP-G - Flare Boom	18-Feb-2022	Wahyudhi	Not Fit For Use	Excessive Corrosion Side Plate, Swivel, Pin, Shall be Remove From Service
9	TIK-9382-2	Shackle	Bow Shackle Bolt Type	17 Ton	SWP-G - Boom Burner	18-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
10	TIK-9383-2	Shackle	Bow Shackle Bolt Type	17 Ton	SWP-G - Boom Burner	18-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
11	TIK-9386-2	Shackle	Bow Shackle Bolt Type	12 Ton	SWP-G - Boom Burner	18-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
12	TIK-9387-2	Shackle	Bow Shackle Bolt Type	12 Ton	SWP-G - Boom Burner	18-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
13	TIK-2623-2	Shackle	Bow Shackle Screw Pin Type	12 Ton	SWP-G - Boom Burner	18-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
14	TIK-2-2133	Shackle	Bow Shackle Screw Pin Type	9.5 Ton	SWP-G - Boom Burner	18-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
15	TIK-2-2132	Shackle	Bow Shackle Screw Pin Type	6.5 Ton	SWP-G - Boom Burner	18-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
16	TIK-2-2131	Shackle	Bow Shackle Bolt Type	4.75 Ton	SWP-G - Boom Burner	18-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
17	TIK-3377-2	Shackle	Bow Shackle Bolt Type	12 Ton	SWP-G - Boom Burner	18-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
18	TIK-3378-2	Shackle	Bow Shackle Bolt Type	12 Ton	SWP-G - Boom Burner	18-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
19	TIK-9384-2	Turnbuckle	Turbuckle Jaw & Jaw 1-1/2 Inch	9.5 Ton	SWP-G - Boom Burner	18-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
20	TIK-9385-2	Turnbuckle	Turbuckle Jaw & Jaw 1-1/2 Inch	9.5 Ton	SWP-G - Boom Burner	18-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
<b>Personnel In Attendance</b>			<b>Daily Personnel allowance</b>	<b>Equipment</b>	<b>Qty</b>	<b>Prepared by PT. ISP Inspector</b>		<b>Approved by PHM sites INS SPV</b>	
<b>1</b>	<b>Wahyudhi</b>		<b>1</b>	<b>Water bag 3 tonnes</b>		<b>Date : 18 February 2022</b>		<b>Date :</b>	
<b>2</b>				<b>Water bag 12 tonnes</b>					
<b>3</b>			<b>Load Cell 5 tonnes</b>						
<b>TOTAL</b>			<b>1</b>	<b>Load Cell 30 tonnes</b>					
<b>Transport</b>				<b>Wire rope tester</b>		<b>Wahyudhi</b>		<b>IWAN S / ABU KHOIRI</b>	
<b>CRO No.</b>						<b>Name &amp; Signature</b>		<b>Name &amp; Signature</b>	

No.	TIK No.	Equipment Type	Detail Description	SWL (Ton)	LOCATION	INSPECTION DATE	PERFORMER	Color Code	Finding & Recommendation
		42							
1	TIK-2-2774	Pad Eye	Hatch Cover	1.25 Ton	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Fit For Use	
2	TIK-2-2776	Pad Eye	Hatch Cover	1.25 Ton	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Fit For Use	
3	TIK-2-2778	Pad Eye	Hatch Cover	1.25 Ton	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Fit For Use	
4	TIK-2-2780	Pad Eye	Hatch Cover	1.25 Ton	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Fit For Use	
5	TIK-2-2775	Pad Eye	hatch Cover Central	0.25 Ton	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Fit For Use	
6	TIK-2-2777	Pad Eye	hatch Cover Central	0.25 Ton	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Fit For Use	
7	TIK-2-2773	Pad Eye	hatch Cover Central	0.25 Ton	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Fit For Use	
8	TIK-2-2779	Pad Eye	hatch Cover Central	0.25 Ton	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Fit For Use	
9	HC 01	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
10	HC 02	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
11	HC 03	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
12	HC 04	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
13	HC 05	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
14	HC 06	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
15	HC 07	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
16	HC 08	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
17	HC 09	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
18	HC 10	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
19	HC 11	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
20	HC 12	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
21	HC 13	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
22	HC 14	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
23	HC 15	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
24	HC 16	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
25	HC 17	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
26	HC 18	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
27	HC 19	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
28	HC 20	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
29	HC 21	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
30	HC 22	Pad Eye	Hatch Cover	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
31	HCC 01	Pad Eye	hatch Cover Central	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
32	HCC 02	Pad Eye	hatch Cover Central	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
33	HCC 03	Pad Eye	hatch Cover Central	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
34	HCC 04	Pad Eye	hatch Cover Central	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
35	HCC 05	Pad Eye	hatch Cover Central	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
36	HCC 06	Pad Eye	hatch Cover Central	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
37	HCC 07	Pad Eye	hatch Cover Central	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
38	HCC 08	Pad Eye	hatch Cover Central	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
39	HCC 09	Pad Eye	hatch Cover Central	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
40	HCC 10	Pad Eye	hatch Cover Central	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
41	HCC 11	Pad Eye	hatch Cover Central	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
42	HCC 12	Pad Eye	hatch Cover Central	-	SWP-G - Top Deck	19-Feb-2022	Wahyudhi	Infrequent Use/ fit for use	MPI Only
<b>Personnel In Attendance</b>		<b>Daily Personnel allowance</b>		<b>Equipment</b>	<b>Qty</b>	<b>Prepared by PT. ISP Inspector</b>		<b>Approved by PHM sites INS SPV</b>	
<b>1</b>	<b>Wahyudhi</b>	<b>1</b>	<b>Water bag 3 tonnes</b>			<b>Date : 19 February 2022</b>		<b>Date :</b>	
<b>2</b>	<b>Usman Kholid</b>	<b>1</b>	<b>Water bag 12 tonnes</b>			 <b>Wahyudhi</b>		 <b>IWAN S ABU KHOIRI</b>	
<b>3</b>		<b>Load Cell 5 tonnes</b>							
<b>TOTAL</b>		<b>2</b>	<b>Load Cell 30 tonnes</b>						
<b>Transport</b>			<b>Wire rope tester</b>						
<b>CRO No.</b>						<b>Name &amp; Signature</b>		<b>Name &amp; Signature</b>	



No.	TIK No.	Equipment Type	Detail Description	SWL (Ton)	LOCATION	INSPECTION DATE	PERFORMER	Color Code	Finding & Recommendation
		20							
1	TIK-3314-2	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-J	20-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
2	TIK-3316-2	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-J	20-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
3	TIK-3315-2	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-J	20-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
4	TIK-3317-2	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-J	20-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
5	TIK-3318-2	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-J	20-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
6	TIK-3319-2	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-J	20-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
7	TIK-2-3384	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-J	20-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
8	TIK-3320-2	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-J	20-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
9	TIK-3321-2	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-J	20-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
10	TIK-2-3385	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-J	20-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
11	TIK-2-3386	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-J	20-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
12	TIK-2-3387	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-J	20-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
13	TIK-2-3390	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-J	20-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
14	TIK-2-3388	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-J	20-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
15	TIK-2-3389	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-J	20-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
16	TIK-3322-2	Pad Eye	Pad Eye Jumping Rope	0.15 Ton	SWP-J	20-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
17	TIK-11525-2	Shackle	Bow Shackle Screw Pin Type	6.5 Ton	SWP-J	20-Feb-2022	Wahyudhi	Not Fit For Use	Excessive Corrosion & Reduction Dimension Bow Diameter, Shall be Remove From Service
18	TIK-11526-2	Shackle	Bow Shackle Screw Pin Type	4.75 Ton	SWP-J	20-Feb-2022	Wahyudhi	Not Fit For Use	Excessive Corrosion & Reduction Dimension Bow Diameter, Shall be Remove From Service
19	TIK-11527-2	Shackle	Bow Shackle Screw Pin Type	4.75 Ton	SWP-J	20-Feb-2022	Wahyudhi	Not Fit For Use	Excessive Corrosion & Reduction Dimension Bow Diameter, Shall be Remove From Service
20	TIK-11528-2	Shackle	Bow Shackle Bolt Type	4.75 Ton	SWP-J	20-Feb-2022	Wahyudhi	Fit For Use	Assist RAT
<b>Personnel In Attendance</b>			<b>Daily Personnel allowance</b>	<b>Equipment</b>	<b>Qty</b>	<b>Prepared by PT. ISP Inspector</b>		<b>Approved by PHM sites INS SPV</b>	
<b>1</b>	<b>Wahyudhi</b>		<b>1</b>	<b>Water bag 3 tonnes</b>		<b>Date : 20 February 2022</b>		<b>Date :</b>	
<b>2</b>				<b>Water bag 12 tonnes</b>					
<b>3</b>			<b>Load Cell 5 tonnes</b>						
<b>TOTAL</b>			<b>1</b>	<b>Load Cell 30 tonnes</b>					
<b>Transport</b>				<b>Wire rope tester</b>		<b>Wahyudhi</b>		<b>IWAN S / ABU KHOIRI</b>	
<b>CRO No.</b>						<b>Name &amp; Signature</b>		<b>Name &amp; Signature</b>	